



# Fisuel Seminar – 15-16 of October 2024 Barcelona – Spain

## France - ONSE 2024 Patrick

# Main data from 2024 ONSE barometer

- Anomalies on electrical installations
- Epidemiology
- Data from insurances
- Data from firefighters
- Fires with electrical source

## Electrical anomalies

**83 %** electrical installations over 15 years old,

out of around 31 million homes built before 2008,

have at least one electrical anomaly.

*Source: analysis of 450 000 mandatory electrical diagnostics (DEO) carried out by Diagamter – Metropolitan France*

# Electrical anomalies

| Anomaly     | B1                 | B2                 | B3                 | B4                 | B5                 | B6                 | B7                 | B8                 |
|-------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Designation | AGCP               | Earth leakage      | Earth              | Breaker            | Bonding            | Water zone         | Direct contact     | Obsolete           |
| until 2008  | 14,7%              | 9,9%               | 64,4%              | 33,6%              | 21,7%              | 18,4%              | 41,0%              | 46,1%              |
| NFC15100    | Present since 1991 | Present since 1974 | Present since 1991 | Present since 1977 | Present since 1974 | Present since 1991 | Present since 1974 | Present since 1991 |

## Epidemiology

**3 000**

Average visits to emergency hospital / year  
following electrical choc - idem since 2000

**1/2** is under 15 years old

**1/3** stays at hospital

**4 out of 5** accidents happen at home

**47%** : Mobile electrical installations

**22%** : Household appliances

**11%** : Fix electrical installations

*Source: public body – Metropolitan France*

Board Meeting – 15 and 16 October 2024

## Epidemiology

**37** accidental deaths by electric choc in 2016,  
excluding suicides and homicides


- W85, 86 & 87 from ICD10 - Exposure to electric lines, specified and unspecified electric current
- Constant figure: between 30 to 40 since 2010
- Halved from 2000 to 2010
- Divided by 5 in 40 years, thanks installation rules
  
- 6 out of 10 are between 25 and 64 years old

Source: public body – Metropolitan France


### Nombre total d'électrocutions par année / réglementation

Source: ONSE - 12-2023

- Nombre elect. domestiques
- Nombre elect. autres origines
- Nombre (total) electrocutions
- lissage
- lissage 1
- lissage 2




# Data from Insurances




# Data from Insurances

## Number of Home Fire Claims Declaration



# Data from Firefighters



## Fires with electrical source

Between **20 & 35 %** dwellings fires could be from electrical source (14 studies over 20 years all buildings)

**55%** human behavior : negligence, imprudence, voluntary acts

**45%** of faulty installation components or electrical equipment

MERCI - THANKS

